

Zoological Record

Vol. 88, Sect. 14, 1951

# PROTOCHORDATA

COMPILED BY

M. BURTON, D.Sc.

PRINTED FOR THE ZOOLOGICAL SOCIETY OF LONDON  
SOLD AT THEIR HOUSE IN REGENT'S PARK  
LONDON, N.W.8.

---

PRICE TWO SHILLINGS

*December, 1952*

# SEPARATE SECTIONS OF THE ZOOLOGICAL RECORD

---

In addition to the complete bound volume, the separate Sections may be obtained singly, bound in printed paper covers.

The following are the Sections and their prices, viz. :—

	<i>s.</i>	<i>d.</i>
1. Comprehensive Zoology ... ..	2	6
2. Protozoa ... ..	7	6
3. Porifera ... ..	2	0
4. Coelenterata ... ..	4	0
5. Echinoderma ... ..	2	6
6. Vermes ... ..	10	0
7. Brachiopoda ... ..	3	0
8. Bryozoa ... ..	2	0
9. Mollusca ... ..	10	0
10. Crustacea ... ..	5	0
11. Trilobita ... ..	3	0
12. Arachnida ... ..	7	6
*13. Insecta ... ..	30	0
14. Protochordata ... ..	2	0
15. Pisces ... ..	7	0
16. Amphibia and Reptilia ... ..	7	6
17. Aves ... ..	7	6
18. Mammalia ... ..	7	6
19. List of New Genera and Subgenera ... ..	3	0

\* Obtainable only from the Commonwealth Institute of Entomology, 41, Queen's Gate, London, S.W.7.

# 14. PROTOCHORDATA

INCLUDING

## ENTEROPNEUSTA AND PTEROBRANCHIA

BY

M. BURTON, D.Sc.

### I.—TITLES

- 1.—**Abbott, D. P.** *Bostrichobranchus digonas*, a new molgulid ascidian from Florida. *J. Wash. Acad. Sci.* **41** (9) 1951 pp. 302–307 4 figs.
- 2.—**Aguazo, C. G.** Lamparas animadas. *Bol. Hist. nat. Soc. Habana* **2** (6) 1951. [Protochordates p. 74].
- 3.—**Alfano, G. B.** Commemorazione del Prof. Guiseppe Zirpolo. *Boll. Soc. Nat. Napoli* **59** 1951 pp. 39–64 port.
- 4.—**Anon.** The early development of amphioxus. *Med. biol. Illust.* **1** (4) 1951 pp. 172–175 8 figs.
- 5.—**Ärnäck-Christie-Linde, A.** Ascidiacea. Part II. Further zool. Res. *Swed. Antaret. Exp.* **4** (4) 1950 pp. 1–41 6 pls. 10 figs.
- 6.—**Berrill, N. J.** Regeneration and budding in tunicates. *Biol. Rev.* **26** 1951 pp. 456–475 3 figs.
- 7.—**Brewin, B. I.** Ascidians from Otago coastal waters. *Trans. Proc. roy. Soc. N.Z.* **78** 1950 pp. 54–93 5 figs.
- 8.—**Brewin, B. L.** Ascidians of New Zealand. Part VI. Ascidians of the Hauraki Gulf, Part II. *Trans. Proc. roy. Soc. N.Z.* **79** (1) 1951 pp. 104–113 8 figs.
- 9.—**Burdon-Jones, C.** Studies on the larvae of *Saccoglossus* and their culture. *Challenger Soc. London* 1950 **3** (2) p. 12.
- 10.—**Burdon-Jones, C.** Records of British Enteropneusta. *Nature, Lond.* **165** 1950 pp. 636–637.
- 11.—**Burdon-Jones, C.** Observations on the spawning behaviour of *Saccoglossus horsti* Brambell and Goodheart, and of other Enteropneusta. *J. Mar. biol. Ass. U.K.* **29** (3) 1951 pp. 625–638.
- 12.—**Carlisle, D. B.** Alcune osservazioni sulla meccanica dell'alimentazione della *Salpa*. *Pubbl. Staz. zool. Napoli* **22** 1950 pp. 146–154 3 figs.
- 13.—**Carlisle, D. B.** Gonadotrophin from the neural region of ascidians. *Nature, Lond.* **166** 1950 p. 737
- 14.—**Carlisle, D. B.** Corpora lutea in an ascidian, *Ciona intestinalis*. *Quart. J. micr. Sci.* **92** (2) 1951 pp. 201–203 1 fig.
- 15.—**Carlisle, D. B.** On the hormonal and neural control of the release of gametes in ascidians. *J. exp. Biol.* **28** (4) 1951 pp. 463–471 1 fig.
- 16.—**Colwin, A. L. & Colwin, L. H.** Relationships between the egg and larva of *Saccoglossus kowalevskii* (Enteropneusta): axes and planes: general prospective significance of the early blastomeres. *J. exp. Zool.* **117** 1951 pp. 111–137 5 figs.
- 17.—**Caspers, H.** Quantitative Untersuchungen über die Bodentierwelt des Schwarzen Meeres im bulgarischen Küstenbereich. *Arch. Hydrobiol.* **45** (1–2) 1951. [Tunicates p. 96.]
- 18.—**Einor, O. L.** Stratigraphy of Permian in Transcaucasus. *C.R. Acad. Sci., URSS N.S.* **78** 1951 pp. 997–999. [In Russian.]



19.—Florey, E. von. Reizphysiologische Untersuchungen an der Ascidie *Ciona intestinalis* L. Biol. Zbl. **70** (11-12) 1951 pp. 523-530 3 figs.

20.—Goldberg, E. D., McBlair, W. & Taylor, K. M. The uptake of vanadium by tunicates. Biol. Bull. Wood's Hole **101** 1951 pp. 84-94 5 figs. 4 tabs.

21.—Guiler, E. R. Notes on the intertidal ecology of the Freycinet Peninsula. Pap. roy. soc. Tasm. **1950** 1951 pp. 53-70 3 pls. 4 figs.

22.—Hirai, E. A comparative study on the structures of the tadpoles of Ascidiaceans. Sci. Rep. Tôhoku Univ. (4) **19** (1) 1951 pp. 79-87 3 figs.

23.—Johnston, T. H. & Muirhead, N. G. Cephalodiscus. Rep. B.A.N.Z. Antarct. Res. Exped. 1929-31 **1B** 3 1951 pp. 89-120 3 pls. 30 figs.

24.—Jørgensen, C. B. Feeding rates of Sponges, Lamellibranchs and Ascidiaceans. Nature, Lond. **163** 1949 p. 912.

25.—Komai, T. The homology of the "Notochord" found in pterobranchs and enteropneusts. Amer. Nat. **85** 1951 pp. 270-276.

26.—Kott, P. *Corella halli* n. sp., a new ascidian from the English Channel. J. Mar. biol. Ass. U.K. **30** 1951 pp. 33-36 1 fig.

27.—Kozłowski, R. Les graptolithes du Tremadoc de la Pologne. Palaeont. Polonica **3** 1948. [Protochordates pp. 195-203].

28.—Lameere, A. Évolution des Tuniciers. [C.R.] Ass. franç. Av. Sci. **63** 1941 pp. 657-659.

29.—Leghissà, S. Sulla guaine ectoplasmatiche dell'uovo di Ascidie (*Ascidia malaca*, *Ascidella aspersa* e *Phallusia mamillata*). Riv. Biol. N.S. **43** (2) 1951 pp. 187-197 2 pls. [English summary.]

McBlair, W. see Goldberg, E. D.

30.—Medawa, P. B. Asymmetry of larval *Amphoxus*. Nature, Lond. **167** 1951 pp. 852-853.

31.—Millar, R. H. The stolonial vessels of the Didemnidae. Quart. J. micr. Sci. **92** 1951 pp. 249-254 3 figs.

32.—Millar, R. H. The development and early stages of the ascidian *Pyura squamulosa* (Alder). J. Mar. biol. Ass. U.K. **30** 1951 pp. 27-31 1 fig.

33.—Minganti, A. Ricerche istochimiche sulla localizzazione del territorio presuntivo degli organi sensoriali nelle larve di Ascidie. Pubbl. Staz. zool. Napoli **23** 1951 pp. 52-57 1 fig.

34.—Minganti, A. Esperienze sulle fertilizzine nelle Ascidie. Pubbl. Staz. Zool. Napoli **23** 1951 pp. 58-65.

Minganti, A. see Reverberi, G.

Mistruzzi, L. U. see Urbani, E.

35.—Ohuye, T. Preliminary note on the survey of peroxidase-distribution in the blood and coelomic cells of various invertebrates. (The 15th report of invertebrate hematology.) Mem. Ehime Univ. Sect. I. **1** (1) 1950. [Protochordates pp. 25-26.]

36.—Pearse, A. S. & Williams, L. G. The biota of the reefs off the Carolinas. J. Elisha Mitchell sci. Soc. **67** (1) 1951. [Tunicates p. 144.]

37.—Pérès, J.-M. Expériences d'ovariotomie chez *Ciona intestinalis* L. C.R. Acad. Sci., Paris **230** 1950 pp. 1616-1617.

38.—Praeger, R. L. Natural History of Ireland, London **1950**. [Protochordates pp. 219-220.]

39.—Pérès, J.-M. Existence d'une corrélation humorale entre l'ovaire et le testicule de *Ciona intestinalis* (L.) C.R. Acad. Sci., Paris **233** 1951 pp. 274-275.

40.—Reverberi, G. & Minganti, A. Fenomeni di evocazione nello sviluppo dell'uovo di Ascidie. Risultati dell'indagine sperimentale sull'uovo di *Ascidella aspersa* e di *Ascidia malaca* allo stadio di otto blastomeri. Pubbl. Stat. zool. Napoli **20** 1946 pp. 199-252 65 figs.

41.—Reverberi, G. & Minganti, A. Concerning the interpretation of the experimental analysis of the ascidian development. Acta biotheor., Leiden **9** (4) 1951 pp. 197-204.

42.—Romer, A. S. The vertebrate body. Philadelphia **1949**. [Protochordates pp. 17-29.]

43.—Sawaya, P. *Balanoglossus gigas* Fr. Müller rediscovered on the Brazilian Coast. Nature, Lond. **167** 1951 p. 730.

44.—Smidt, E. L. B. Animal Production in the Danish Waddensea. Medd. Komm. Havundersøg. Kbh. Fiskeri **11** (6) 1951. [Protochordates p. 41.]

45.—Stiasny, G. Über Tornarien. Zool. Jahrb. (Syst.) **74** 1941 pp. 361-374 4 figs.

Taylor, K. M. see Goldberg, E. D.

45a.—Thomas, H. D. A fossil species of the Pterobranch Rhabdopleura. Quart. J. geol. Soc. Lond. **106** 1 1950 p. 133.

46.—Thompson, H. Pelagic Tunicates of Australia. Melbourne **1948** 196 pp. 75 pls. 19 text-figs.

47.—Tokiooka, T. The fauna of Akkeshi Bay. XVIII. Ascidia. Publ. Akkeshi mar. biol. Stat. No. 1 1951 pp. 1-22 2 pls. 16 figs.

48.—Tokiooka, T. Contributions to Japanese Ascidian fauna, IV. Notes on some ascidians collected in Osaka Bay. Publ. Seto mar. biol. Lab. **1** (4) 1951 pp. 169-182 1 pl., 8 figs.

49.—Tokiooka, T. Record of *Cyclosalpa bakeri* from Japanese waters. Publ. Seto mar. biol. Lab. **1** (4) 1951 p. 183.

50.—Ubisch, L. von. Gibtes Organisatoren oder Induktoren im Ascidienkeim? Acta biotheor., Leidin **9** (4) 1951 pp. 185-196 9 figs.

51.—Urbani, E. & Mistruzzi, L. U. Le reazioni delle perossidasi, delle fenolasi e del glutatone studiate comparativamente nell' uovo di alcune specie di Ascidie. Pubbl. Staz. zool. Napoli **21** 1947 pp. 67-82 1 pl. 15 figs.

Williams, L. E. see Pearse, A. S.

## II.—SUBJECT INDEX

### EVOLUTION

LAMEERE **28**.

### PHYSIOLOGY

CARLISLE **12-15**; FLOREY **19**; GOLDBERG, McBLAIR & TAYLOR **20**; JØRGENSEN **24**; OHUYE **35**; PÉRÈS **37, 39**.

### REPRODUCTION

ANON **4**; BERRILL **6**; BURDON-JONES **9, 11**; CARLISLE **15**; COLWIN & COLWIN **16**; LEGHISSÀ **29**; MEDAWA **30**; MILLAR **32**; MINGANTI **33, 34**; REVERBERI & MINGANTI **40, 41**; URBANI & MISTRUZZI **51**.

### ANATOMY

HIRAI **22**; KOMAI **25**; MILLAR **31**.

### REGENERATION

BERRILL **6**.

### LUMINESCENCE

AGUAYO **2**.

### DISTRIBUTION

#### MARINE

British Isles, BURDON-JONES **10**; KOTT **26**; PRAEGER **38**; Denmark, SMIDT **44**; Mediterranean, STIASNY **45**; Black Sea, CASPERS **17**; Bermuda, STIASNY **45**; Florida, ABBOTT **1**; Brazil, SAWAYA **43**; Japan, TOKIOKA **47-49**; Caroline Islands, PEARSE & WILLIAMS **36**; Australia, THOMPSON **46**; Tasmania, GULER **21**; New Zealand, BREWIN **7-8**; Antarctic, ÅRNBÄCK-CHRISTIE-LINDE **5**; JOHNSTON & MUIRHEAD **23**.

#### FOSSIL

Eocene.—THOMAS **45a**.

Permian.—EINOR **18**.

Silurian.—KOZŁOWSKI **27**.

## III.—SYSTEMATIC INDEX

### TUNICATA

Evolution, LAMEERE **28**; comparative study of tadpoles, HIRAI **22**; pelagic spp. of Australia, THOMPSON **46**.

*Alloecocarpa minuta* sp. n. New Zealand, BREWIN Trans. R. Soc. N.Z. **79** (1) 1951 p. 110 fig. 6; *A. incrustans rugosa* subsp. n. Falklands, ÅRNBÄCK-CHRISTIE-LINDE Further Zool. Res. Swed. Antarct. Exp. **4** (4) 1950 p. 10 pl. i fig. 5.

*Amaroucium oamaruensis* sp. n. New Zealand, BREWIN Trans. Proc. Roy. Soc. N.Z. **78** (1) 1950 p. 55 fig. 1; *A. nottii* sp. n. New Zealand, BREWIN Trans. R. Soc. N.Z. **79** (1) 1951 p. 105 fig. 1.

*Bostrichobranchus digonas* sp. n. Florida, ABBOTT J. Wash. Acad. Sci. **41** (9) 1951 p. 302 figs. 1-4.

*Ciona intestinalis corpora lutea*, CARLISLE **14**; physiology, FLOREY **19**.

*Corella Lalli* sp. n. English Channel, KOTT J. Mar. biol. Ass. U.K. **30** (1) p. 33 fig. 1.



*Cyclosalpa bakeri*, TOKIOKA 49.

*Didemnum okudai* sp. n. Japan, TOKIOKA Publ. Akkeshi mar. biol. Stat. 1 1951 p. 3 fig. 2.

*Distaplia yezoensis* sp. n. Japan, TOKIOKA Publ. Akkeshi mar. biol. Stat. 1951 p. 4 fig. 3; *D. japonica* sp. n. Japan, TOKIOKA Publ. Seto mar. biol. Lab. 1 (4) 1951 p. 169 fig. 1.

*Holozoa cylindrica glebulenta* form. n. Grahamland, ÄRNBÄCK CHRISTIE-LINDE Further Zool. Res. Swed. Antarct. Exp. 4 (4) 1950 p. 36 pl. vi figs. 31-32.

*Leptoclinum takeharai* sp. n. Japan, TOKIOKA Publ. Akkeshi mar. biol. Stat. 1 1951 p. 21 fig. 16.

*Polyzoa vesiculiphora* sp. n. Japan, TOKIOKA Publ. Akkeshi mar. biol. Stat. 1 1951 p. 11 pl. ii figs. 1-2 text-fig. 9; *P. pacifica* sp. n. Japan, TOKIOKA Publ. Seto. mar. biol. Lab. 1 (4) 1951 p. 173 fig. 4; *P. coccinea crebra* p. 14 pl. ii fig. 8 text-fig. 2, *coccinea spicea* p. 15 pl. ii fig. 9 South Georgia, *coccinea fruticosa* p. 16 pl. iii figs. 10-11 text-fig. 3 Argentina form. n., ÄRNBÄCK-CHRISTIE-LINDE Further Zool. Res. Swed. Antarct. Exp. 4 (4) 1950.

*Pyura picta* sp. n. New Zealand, BREWIN Trans. Proc. roy. Soc. N.Z. 78 (1) 1950 p. 58 fig. 3; *P. squamulosus* development, MILLAR 32.

*Styela isibasi* sp. n. Japan, TOKIOKA Publ. Seto mar. biol. Lab. 1 (4) 1951 p. 179 pl. xi fig. 5 text-fig. 7; *S. plicata tenuis* form. n. Japan, TOKIOKA Publ. Seto mar. biol. Lab. 1 (4) 1951 p. 177 fig. 6.

*Syndendrodoa composita* sp. n. Japan, TOKIOKA Publ. Akkeshi mar. biol. Stat. 1 1951 p. 14 fig. 11.

*Synoicum haurakiensis* sp. n. New Zealand, BREWIN Trans. roy. Soc. N.Z. 79 (1) 1951 p. 106 fig. 2.

*Xenobranchion* gen. n., *insigne* sp. n. Falklands, ÄRNBÄCK-CHRISTIE-LINDE Further Zool. Res. Swed. Antarct. Exp. 4 (4) 1950 p. 20 pl. iv figs. 14-20.

#### HEMICHORDATA

Enteropneusta of British Isles, BURDON-JONES 10.

*Balanoglossus gigas* from Brazil, SAWAYA 43.

*Saccoglossus horsti* spawning behaviour, BURDON-JONES 11; development, BURDON-JONES 9; *S. kowalevskii* relations between egg and larva, COLWIN & COLWIN 16.

*Tornaria wheeleri* sp. n. Bermuda, STIASNY Zool. Jahrb., Jena (Syst.) 74 1941 p. 365 fig. 2.

#### CEPHALOCHORDATA

*Amphioxus* early development, ANON 4.

#### PTEROBRANCHIA

*Cephalodiscus (Orthoecus) australiensis* sp. n. Antarctic, JOHNSTON & MUIRHEAD Rep. B.A.N.Z. Antarct. Res. Exped. 1929-31 1B (3) 1951 p. 99 pl. i fig. 3 pl. iii fig. 1 text-figs. 1-30.

†*Eocephalodiscus polonicus* sp. n. Silurian Poland, KOZLOWSKI Palaeont. Polonica 3 1948 p. 195 pl. xxxiii figs. 1-2, pl. xxxiv figs. 1-38 text-fig. 62.

†*Rhabdopleura eocenica* sp. n. Eocene England, THOMAS Quart. J. geol. Soc. London 106 (1) 1950 p. 133.

#### PHORONIDA

(Vacant)

#### POGNOPHORA

(Vacant)

#### GRAPTOLITES

(Vacant)